

This member provides a cross-reference index for each JM+ module which is modified by an optional usermod.

Usermod Number Function

UC33001 OPTIONAL: This usermod zaps csect XJSMF0PA in module XJSMMAIN to save the PARMs values in PROFILE on exit. Removes the need for users to enter the SAVEPROF command in order to save PARMs values to their JES-Master Plus profile.

```

MODULES ** XJSMMAIN/XJSMF0PA      **
MACROS  **                      **
PANELS  **                      **
PREREQS ** None                  **

```

UC33002 OPTIONAL: Eliminate message XJSMM894 ("CANNOT SAVE DATA") when exiting SUBMIT ISPF EDIT with text changes.

Message XJSMM894 is issued exiting SUBMIT ISPF EDIT when text changes have been made to make the user aware that work may be lost. This usermod is provided for users that do not want any warning of lost changes from the SUBMIT function. Zap to csect XJSMSUBM in module XJSMMAIN.

```

MODULES ** XJSMMAIN/XJSMSUBM     **
**                      **
MACROS  **                      **
PANELS  **                      **
PREREQS ** RC33003              **

```

UC33003 OPTIONAL: This usermod suppresses XJSMM892 SYSLOG INDEX DS NOT ALLOCATED message when not running with indexed SYSLOG (JSMLOGIX). Zap to csect XJSMBROW in module XJSMMAIN.

```

MODULES ** XJSMMAIN/XJSMBROW     **
**                      **
MACROS  **                      **
PANELS  **                      **
PREREQS ** None                  **

```

UC33004 OPTIONAL: This usermod changes the default unit type for UNLOAD from 3380 to 3390. Zap to csect XJSMUNLD in module XJSMMAIN and a change to panel XJSMP111.

```

MODULES ** XJSMMAIN/XJSMUNLD     **
**                      **
MACROS  **                      **
PANELS  ** XJSMP111              **
PREREQS ** None                  **

```

UC33005 OPTIONAL: When using ISPF "EDIT" to edit a SYSOUT dataset instead of the SUBMIT (SUB) command, the text shifts right one character. This is because JES2 inserts a print control character. This zap to csect XJSMEDIT in module XJSMMAIN removes the

ucindex.txt

the print control character if one is found.

```
MODULES ** XJSMMAIN/XJSMEDIT **
MACROS ** **
PANELS ** **
PREREQS ** **
```

UC33006 OPTIONAL: Limit the maximum record length used in
edit sessions to 256 and allow users to edit
previously un-edittable datasets by setting the
MAXLRECL to 256 from 32k.

```
MODULES ** XJSMMAIN/XJSMEDIT **
** **
MACROS ** **
PANELS ** **
PREREQS ** UC33005 if used. **
```

□